

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	4	(firmware efi) with (pre\$1memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:29
S88	183	(firmware efi) with (before prior) near3 (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:27
S89	2	(firmware efi) with (before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:33
S90	5	(firmware efi) with (before prior) near3 (memory) near3 availabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:42
S91	54	(pre\$1memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:29
S92	519	(before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:34
S94	9	modules with (before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:38
S96	14	bios with (before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 10:38
S97	5	(bios modules) with (before prior) near3 (memory) near3 availabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 11:00
S98	34	(boot\$3 start\$3) with (before prior) near3 (memory) near3 availabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 11:03
S99	135	(boot\$3 start\$3) with (before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 11:03
S100	92	(boot\$3 start\$3) adj5 (before prior) near3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 11:03

EAST Search History

S10 1	84	(boot\$3 start\$3) adj5 (before prior) adj3 (memory) near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 11:03
S10 2	1474	(boot\$3 start\$3) with us\$3 near3 (rom no\$1volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:07
S10 3	72	(boot\$3 start\$3) adj3 using adj3 (rom no\$1volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:13
S10 5	1	(boot\$3 start\$3) adj3 using adj3 (rom no\$1volatile) with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:50
S10 6	17	(boot\$3 start\$3) adj3 without adj3 ram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:15
S10 7	66	(boot\$3 start\$3) adj3 without adj3 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:05
S10 8	46	(boot\$3 start\$3) adj3 (non\$1volatile) adj3 memory with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:31
S10 9	452	(boot\$3 start\$3) adj5 disk with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:31
S11 0	89	(boot\$3 start\$3) adj5 hard adj2 (disk drive) with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:32
S11 1	32	(boot\$3 start\$3) adj5 hard adj2 (disk drive) near3 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:18
S11 2	142	(boot\$3 start\$3) adj5 using adj5 (rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:40
S11 3	40	(boot\$3 start\$3) adj5 using adj2 (rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:46

EAST Search History

S11 4	189	conserv\$3 near3 memory same (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:48
S11 5	301	conserv\$3 with memory same (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:48
S11 6	45	conserv\$3 with memory with (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:48
S11 7	28	conserv\$3 near3 memory with (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:55
S11 9	1076	sav\$3 near3 memory with (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:56
S12 1	574	(less\$2 minimum) near3 memory with (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:57
S12 2	158	(less\$2 minimum) adj2 memory with (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:57
S12 3	49	(less\$2 minim\$2) adj2 memory near3 (boot\$3 start\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:57
S12 4	3	(boot\$3 start\$3) adj3 without adj3 system adj2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:05
S12 5	1902	(boot\$3 start\$3) adj5 hard adj2 (disk drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:18
S12 6	157	(boot\$3 start\$3) adj5 hard adj2 (disk drive) with \$2ram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:19
S12 7	2	(boot\$3 start\$3) adj5 hard adj2 (disk drive) with \$2ram same limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:19

EAST Search History

S12 8	58	(boot\$3 start\$3) adj5 hard adj2 (disk drive) same limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:19
S13 0	2477	(boot\$3 start\$3) same limit\$3 near3 (memory \$2ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:20
S13 1	647	(boot\$3 start\$3) with limit\$3 near3 (memory \$2ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:21
S13 2	139	(boot\$3 start\$3) with limited adj3 (memory \$2ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:21
S13 3	7	(boot\$3 start\$3) with limited adj3 (memory \$2ram) adj2 space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:22
S13 4	7	(boot\$3 start\$3) with limited near3 (memory \$2ram) adj2 space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:22
S13 5	230	(boot\$3 start\$3) with limited near3 (memory \$2ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:23
S13 6	24	(boot\$3 start\$3) with limited near3 (memory \$2ram) with rom	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:26
S13 7	9506	\$3boot\$3 with (rom non\$1volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:27
S13 8	1194	\$3boot\$3 with (rom non\$1volatile) near3 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:27
S13 9	108	\$3boot\$3 with (non\$1volatile) near3 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:28
S14 0	31	\$3boot\$3 adj5 (non\$1volatile) near3 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:31

EAST Search History

S14 3	7	preboot\$3 with (non\$1volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:34
S14 4	16	efi same (prior before) near3 (memory initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:38
S14 5	67702	(prior before) near3 (memory initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:38
S14 6	519	(prior before) near3 memory near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:38
S14 7	17	load\$3 with (prior before) near3 memory near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:40
S14 8	3	dispatch\$3 with (prior before) near3 memory near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:40
S14 9	14	bios with (prior before) near3 memory near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:43
S15 0	46	execut\$3 with (prior before) near3 memory near3 initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:43
S15 2	1	(boot\$3 start\$3) adj3 using adj3 (nvram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:51
S15 3	629	(boot\$3 start\$3) with (nvram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:51
S15 4	180	(boot\$3 start\$3) near3 (nvram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:51
S15 5	2	(boot\$3 start\$3) near3 (nvram) near3 only'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:51

EAST Search History

S15 6	2	(boot\$3 start\$3) near3 (nvram) near3 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:52
S15 7	7	(boot\$3 start\$3) near3 (nvram) near3 partition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:54
S15 8	1	(boot\$3 start\$3) same option\$1 near2 rom same conserv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:57
S15 9	189	(boot\$3 start\$3) same conserv\$3 near3 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:57
S16 0	9	(boot\$3 start\$3) same conserv\$3 near3 memory adj2 resource\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:57
S16 2	13	array with stor\$3 with module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:49
S16 3	234	record\$3 with module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:49
S16 4	52	record\$3 adj3 module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:51
S16 7	83	bit with module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:51
S16 8	1	bit near3 indicat\$3 with module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:52
S16 9	3	bit\$1 near3 indicat\$3 with module\$1 near3 (dispatched executed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:53
S17 0	40	record\$3 with (dispatched executed) adj2 module\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/09 14:53

EAST Search History

S17 6	5	daisy near3 chain with firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:02
S17 7	502	daisy near3 chain with modules	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:03
S17 8	127	daisy adj2 chain adj3 modules	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:03
S17 9	58	daisy adj chain adj2 modules	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:20
S18 0	8	daisy adj chain with search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:23
S18 2	13	daisy adj chain with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:42
S18 4	1	daisy adj chain same organiz\$5 near3 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:43
S18 5	1	daisy adj chain same organiz\$5 near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:44
S18 6	1196	daisy adj chain with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 10:07
S18 7	407	daisy adj chain near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:44
S18 8	17	daisy adj chain near3 data same efficien\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 09:44
S18 9	75	daisy adj chain with data near3 stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 10:32

EAST Search History

S19 0	60	smbus same advantage\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 10:32
S19 1	31	smbus with advantage\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/10 10:32